



OPIS	Masa (kg)	M+S	Fuel efficiency	Wet grip	Rolling noise	Noise val.	VPC (kn/kom)
VODEČA - PREDNJA OSOVINA							
11 R22.5 R297 148L145L TL M+S	57,41	M+S	E	C	72db	2	2.285,48
12 R22.5 R297 152L148L TL M+S	62,75	M+S	D	B	72db	2	2.709,12
13 R22.5 R297 156L150L 18 TL M+S	78,03	M+S	D	C	71db	2	2.861,44
255/70 R22.5 R294 140M140L TL M+S	44,40	M+S	D	C	70db	1	2.369,12
275/70 R22.5 R249ECO 148M145M TL M+S	58,98	M+S	C	C	72db	2	2.577,20
275/70 R22.5 R297 148K145K 16 TL M+S	52,17	M+S	D	C	72db	2	2.420,80
275/80 R22.5 R294Z 148M144M TL	65,07		E	C	71db	2	2.660,84
295/60 R22.5 R249ECOBZ 150L147L TL ST	53,27		D	C	70db	2	2.809,08
295/80 R22.5 ECOHS1 154M149M TL	59,77		C	C	70db	1	2.769,64
295/80 R22.5 R249ECO 152M148M TL M+S	65,73	M+S	C	C	72db	2	2.839,68
295/80 R22.5 R249ECOZ 152M148M TL	60,91		C	C	72db	2	2.830,16
295/80 R22.5 R297 152M148M TL M+S	63,54	M+S	D	B	73db	2	2.613,24
295/80 R22.5 RS1 154M149M TL M+S	62,46	M+S	C	C	68db	1	2.832,88
305/70 R22.5 R249ECOZ 150M152L 16 TL	56,08		D	C	69db	1	2.553,40
315/60 R22.5 ECOHS1 154L148L TL	55,05		C	C	72db	2	2.964,12
315/70 R22.5 ECOHS1Z 156L154M TL	60,71		B	C	68db	2	2.896,12
315/70 R22.5 R249ECO 152M154L TL M+S	68,02	M+S	C	B	73db	2	2.805,00
315/70 R22.5 R249ECOBZ 152M154L TL	63,18		C	B	73db	2	2.794,80
315/70 R22.5 R249ECOCZ EVO 156L154M TL	66,77		D	C	71db	2	2.802,28
315/70 R22.5 R297 152M154L 16 TL M+S	64,95	M+S	D	B	74db	3	2.745,16
315/70 R22.5 R297EVO 156L154M TL M+S	67,71	M+S	D	C	71db	2	2.764,20
315/70 R22.5 R297EVOHZ 156L154M TL ST	63,16		D	C	71db	2	2.754,68
315/70 R22.5 RS1 156L154M TL	60,30		C	B	72db	2	2.904,28
315/70 R22.5 RS1 156L154M TL M+S	66,24	M+S	C	B	72db	2	2.916,52
315/80 R22.5 ECOHS1 156L150L TL	63,01		C	C	69db	1	2.927,40
315/80 R22.5 R249ECO 154M156L TL M+S	54,30	M+S	C	C	72db	2	2.931,48
315/80 R22.5 R249ECOBZ 154M156L TL	64,75		C	C	72db	2	2.953,24
315/80 R22.5 R297 154M156L TL M+S	68,13		D	B	73db	2	2.751,96
315/80 R22.5 RS1 156L154M TL M+S	69,17		C	B	73db	2	2.945,08
355/50 R22.5 R249EVODZ 156L TL ST	59,99		D	C	71db	2	3.205,52
355/50R22.5 R249II EVOEC0 156L TL	60,47		D	C	71 dB	2	3.206,20
385/55 R22.5 ECOHS1 160K158L TL	75,67		C	C	71db	2	3.051,84
385/55 R22.5 R249ECOEZ 160K158L 20 TL	76,03		D	C	72db	2	3.101,48
385/65 R22.5 R249ECO 160K158L TL M+S	72,27	M+S	C	B	74db	3	3.004,92
385/65 R22.5 RS1 160K158L TL M+S	71,30	M+S	C	B	69db	1	2.985,20
385/65 R22.5 RS1 EVO 164K158L TL M+S	72,27	M+S	C	B	71db	2	3.133,44
POGON							
10 R22.5 M716 144L142L 14 TL	45,99	M+S	F	C	73db	2	2.567,68
11 R22.5 M711AZ 148L145L 16 TL	60,67	M+S	E	D	72db	2	2.065,84
13 R22.5 M729Z 156L150L TL	78,03	M+S / 3PMSF	E	C	73db	2	2.861,44
275/70 R22.5 M729Z 148M145M 16 TL	55,72	M+S / 3PMSF	E	C	75db	2	2.428,28
275/70 R22.5 R184Z 148L145L 16 TL	58,98		D	C	71db	2	2.488,12

275/70 R22.5 R184Z 148L145L 16 TL	58,98		D	C	71db	2	2.488,12
295/60 R22.5 ECOHD1 150L147L TL	53,27	M+S / 3PMSF	C	D	74db	2	2.817,92
295/60 R22.5 RD1 150L147L TL	53,27	M+S / 3PMSF	E	C	72db	1	2.831,52
295/80 R22.5 ECOHD1 152M148M TL	59,51	M+S / 3PMSF	C	C	73db	2	2.768,96
295/80 R22.5 M729SZ 152M148M TL	68,99	M+S / 3PMSF	E	C	73db	2	2.624,80
295/80 R22.5 M730Z 152M148M TL ST	69,46	M+S	F	C	75db	3	2.626,16
295/80 R22.5 M749ECOZ 152M148M TL	65,83	M+S / 3PMSF	D	C	75db	3	2.840,36
295/80 R22.5 RD1 152M148M TL	66,68	M+S / 3PMSF	D	C	75db	2	2.841,72
305/70 R22.5 M729Z 150M152L 16 TL	66,58	M+S / 3PMSF	F	C	74db	2	2.575,16
315/45 R22.5 M749BZ 147L145L TL ST	50,74	M+S	E	D	76db	3	3.021,92
315/60 R22.5 ECOHD1 152L148L TL	58,39	M+S / 3PMSF	C	C	73db	1	2.970,92
315/60 R22.5 RD1 152L148L TL	58,39	M+S / 3PMSF	E	D	74db	2	2.975,68
315/70 R22.5 ECOHD1Z 154L152M TL	64,86	M+S / 3PMSF	B	C	74db	3	2.904,96
315/70 R22.5 M729Z 152M154L 16 TL	69,55	M+S / 3PMSF	E	C	77db	3	2.754,68
315/70 R22.5 M730Z 152M154L TL ST	67,31	M+S	F	C	75db	3	2.749,92
315/70 R22.5 M749ECOAZ 152M154L TL	67,51	M+S / 3PMSF	D	B	75db	3	2.803,64
315/70 R22.5 RD1 154L152M TL	67,51	M+S / 3PMSF	D	C	73db	1	2.919,24
315/80 R22.5 ECOHD1 156L150L TL	66,49	M+S / 3PMSF	C	C	70db	1	2.934,88
315/80 R22.5 M730Z 154M156L TL ST	71,78	M+S / 3PMSF	F	C	75db	3	2.759,44
315/80 R22.5 M749ECOAZ 154M156L TL	70,10	M+S / 3PMSF	D	C	75db	3	2.964,80
315/80 R22.5 RD1 Z 156L154M TL	71,39	M+S / 3PMSF	D	C	75db	2	2.949,84
PRIKOLICA							
435/50 R19.5 R166AZ 160J TL	71,26		D	C	73db	2	3.085,16
11 R22.5 R187 148L145L TL M+S	57,41	M+S	C	B	68db	1	1.730,60
11 R22.5 R187 148L145L TL M+S	57,41	M+S	C	B	68db	1	1.730,60
275/70 R22.5 R184 148L145L TL M+S		M+S	D	C	71db	2	2.364,36
275/70 R22.5 R184 148L145L TL M+S		M+S	D	C	71db	2	2.364,36
315/80 R22.5 R184Z 154M149M TL	61,04		C	B	69db	1	2.235,16
315/80 R22.5 R184Z 154M149M TL	61,04		C	B	69db	1	2.235,16
385/55 R22.5 ECOHT1 160K TL	70,21		B	C	73db	2	2.969,56
385/55 R22.5 R168 160K158L TL M+S	74,46	M+S	C	B	74db	3	2.889,32
385/65 R22.5 ECOHT1 160K158L TL	72,78		B	B	68db	1	2.859,40
385/65 R22.5 R164 160K158L 18 TL M+S	73,61	M+S	C	C	71db	2	2.728,16
385/65 R22.5 R168+ 160K158L TL M+S	74,69	M+S	C	B	70db	2	2.854,64
425/65 R22.5 R164 165K 20 TL M+S	85,70	M+S	C	D	70db	1	3.694,44
445/65 R22.5 R164 169K 20 TL M+S	96,66	M+S	C	C	70db	1	3.797,80
AUTOBUS							
295/80 R22.5 M788EVO 154M149M TL	64,45	M+S / 3PMSF	D	C	71db	1	2.734,96
295/80 R22.5 M788EVO 154M149M TL	64,45	M+S / 3PMSF	D	C	71db	1	2.734,96
315/70 R22.5 M788BZ 152M154L TL	65,59	M+S / 3PMSF	D	C	71db	1	2.715,24
315/70 R22.5 M788BZ 152M154L TL	65,59	M+S / 3PMSF	D	C	71db	1	2.715,24
315/70 R22.5 M788BZ 152M154L TL	65,59	M+S / 3PMSF	D	C	71db	1	2.715,24
315/80 R22.5 M788Z 156L154M TL	69,21	M+S / 3PMSF	D	C	74db	2	2.802,96
315/80 R22.5 M788Z 156L154M TL	69,21	M+S / 3PMSF	D	C	74db	2	2.802,96
315/80 R22.5 M788Z 156L154M TL	69,21	M+S / 3PMSF	D	C	74db	2	2.802,96
GRADSKI AUTOBUS							
245/70 R19.5 U-AP1 136M134M TL	36,38	M+S / 3PMSF	D	B	71db	1	1.941,40
11 R22.5 R192FZ 148J145J 16 TL	64,84		E	D	71db	2	2.256,24
12 R22.5 R192GZ 152G148G 16 TL	65,61		D	D	70db	1	2.630,92
275/70 R22.5 R192 148J152E TL	52,17	M+S	D	C	70db	2	2.473,84
275/70 R22.5 U-AP1 150J152E TL	52,17	M+S / 3PMSF	D	B	71db	2	2.473,84

295/80 R22.5 R192FZ 152J154E TL SPL	67,84		D	C	72db	2	3.013,08
305/70 R22.5 R192FZ 152J154E TL	65,70		D	D	70db	1	2.635,68
435/45 R22.5 R173 162J TL M+S	77,39	M+S	D	D	71db	2	4.600,20
455/45 R22.5 R173 166J TL M+S	84,34	M+S	D	C	72db	2	5.023,84
ON/OFF - OFF ROAD							
10 R22.5 M840BZ 144K142K 14 TL	48,89	M+S	D	B	72db	2	2.245,36
11 R22.5 M840BZ 148K145L 16 TL	57,13	M+S	D	C	72db	2	2.076,04
12 R22.5 L317Z 152G148G 16 TL SPL	66,80		F	C	73db	2	2.633,64
12 R22.5 M840BZ 152K150L 16 TL	67,16	M+S	D	C	73db	2	2.696,20
13 R22.5 L317EVO 158G156K TL	78,03	M+S / 3PMSF	F	B	73db	2	2.839,00
13 R22.5 L355EVO 158G156K TL	78,03	M+S / 3PMSF	E	B	75db	2	2.914,48
13 R22.5 M840BZ 154K156G 18 TL	75,50	M+S	C	C	70db	2	2.851,92
13 R22.5 M840EVO 158G156K TL	78,03	M+S / 3PMSF	D	B	72db	2	2.985,88
13 R22.5 MD1 156K150K TL	78,67	M+S / 3PMSF	D	B	73db	1	2.915,84
13 R22.5 MS1 156K150K TL	78,03	M+S / 3PMSF	C	B	70db	1	2.985,88
275/70 R22.5 M840BZ 148K145K 16 TL BS2	53,73	M+S	E	C	70db	1	2.441,88
295/80 R22.5 M840BZ 152K150L TL	64,10	M+S	C	C	72db	2	2.690,08
295/80 R22.5 MD1 152K150L TL	65,73	M+S / 3PMSF	D	B	71db	1	2.822,00
295/80 R22.5 MS1 152K150L TL	65,73	M+S / 3PMSF	C	B	68db	1	2.822,00
315/80 R22.5 L355EVO 158G156K TL	81,02	M+S / 3PMSF	E	B	73db	1	2.992,00
315/80 R22.5 M840EVO 158G156K TL	81,02	M+S / 3PMSF	D	C	69db	1	2.992,00
315/80 R22.5 MD1 156K150K TL	81,02	M+S / 3PMSF	D	B	72db	1	2.992,00
315/80 R22.5 MS1 156K150K TL	81,02	M+S / 3PMSF	C	B	69db	1	2.992,00
385/65 R22.5 M748 160K158L TL	78,34	M+S	C	B	74db	3	2.902,24
385/65 R22.5 M748EVO 164G160K TL	72,27	M+S / 3PMSF	D	B	72db	2	3.022,60
385/65 R22.5 MT1 160K158L TL	77,32	M+S / 3PMSF	C	B	73db	2	2.979,76
425/65 R22.5 M748AZ 165K 20 TL	84,98	M+S	D	D	70db	1	4.065,72
445/65 R22.5 M748BZ 169K 20 TL	94,83	M+S	C	D	71db	2	3.855,60
445/65 R22.5 M844AZ 169K 20 TL	101,32	M+S	C	D	71db	2	3.869,20
ZIMA							
11 R22.5 M758AZ 148L145L 16 TL	54,94	M+S	F	D	72db	2	2.218,16
275/70 R22.5 NORD1 148M145M TL	57,07	M+S / 3PMSF	E	C	75db	2	2.515,32
275/70 R22.5 W958AZ 148J152E TL	55,25	M+S / 3PMSF	E	B	70db	1	2.511,92
295/60 R22.5 W990DZ 150L147L TL	56,42	M+S / 3PMSF	F	E	73db	2	2.718,64
295/80 R22.5 NORD1 152M148M TL	69,49	M+S / 3PMSF	E	C	75db	2	2.759,44
295/80 R22.5 R192FZ 152J154E TL SPL	76,52	M+S / 3PMSF	C	C	71db	1	3.208,92
295/80 R22.5 R192FZ 152J154E TL SPL	76,52	M+S / 3PMSF	D	C	71db	1	3.302,08
295/80 R22.5 W958 152M148M TL ST	65,60	M+S / 3PMSF	D	C	74db	2	2.609,16
295/80 R22.5 W970Z 152M148M TL	69,42	M+S / 3PMSF	F	E	72db	2	2.643,84
295/80 R22.5 W990AZ 152M148M TL	70,56	M+S / 3PMSF	F	C	74db	2	2.645,88
315/70 R22.5 W958 152M154L TL ST	65,73	M+S / 3PMSF	D	C	74db	2	2.715,92
315/70 R22.5 W990EZ 152M154L TL	66,39	M+S / 3PMSF	F	C	73db	1	2.717,28
315/80 R22.5 NORD1 156L154M TL	69,79	M+S / 3PMSF	E	C	75db	2	2.919,92
315/80 R22.5 W958AZ 156L154M TL ST	68,73	M+S / 3PMSF	D	C	72db	2	2.801,60
315/80 R22.5 W990AZ 154M156L TL	73,46	M+S / 3PMSF	F	C	73db	1	2.811,80
385/55 R22.5 M788EZ 160K158L TL	76,33	M+S / 3PMSF	E	C	73db	2	3.102,16
385/55 R22.5 M788EZ 160K158L TL	76,33	M+S / 3PMSF	E	C	73db	2	3.102,16
385/65 R22.5 M788DZ 160K158L TL	74,31	M+S	E	C	75db	3	3.053,20
385/65 R22.5 M788DZ 160K158L TL	74,31	M+S	E	C	75db	3	3.053,20
KOMBI VOZILA							
205/80 R15 R184Z 124J122J TT FTU 12	24,02		E	C	69db	1	1.560,60

205/80 R15 R184Z 124J122J TT FTU 12	24,02		E	C	69db	1	1.560,60
7.50 R15 R187 135J133J 16 TT 1	27,57		E	C	71db	2	1.390,60
7.50 R15 R187 135J133J 16 TT 1	27,57		E	C	71db	2	1.390,60
8.25 R15 R187 143J141J 18 TT 1	33,65		D	C	71db	2	1.669,40
8.25 R15 R187 143J141J 18 TT 1	33,65		D	C	71db	2	1.669,40
10 R17.5 M840BZ 143J141J 18 TL FTU	35,98	M+S	E	D	70db	1	1.719,04
205/65 R17.5 R168 127J129F TL M+S	24,90	M+S	D	C	70db	1	1.464,72
215/75 R17.5 R168 135J133J TL M+S	30,03	M+S	D	C	69db	1	1.555,16
235/75 R17.5 R168 143J141J TL M+S	33,13	M+S	C	C	69db	1	1.602,08
245/70 R17.5 R168 143J144F TL M+S	34,46	M+S	C	C	69db	1	1.724,48
9.5 R17.5 R168 143J141J TL M+S	34,64	M+S	D	C	71db	2	1.604,80
245/70 R19.5 R168 141J140J TL M+S	32,76	M+S	D	C	70db	1	1.863,20
265/70 R19.5 M852Z 143J141J TL	41,88	M+S / 3PMSF	E	C	73db	2	1.717,68
265/70 R19.5 R168 143J141J TL M+S	42,54	M+S	D	B	71db	2	1.918,96
285/70 R19.5 R168 150J148J TL M+S	40,86	M+S	C	C	71db	2	2.417,40
KAMION							
10 R17.5 R180 134L132L TL M+S	31,49	M+S	D	D	67db	1	1.709,52
10 R17.5 VSX Z 134L132L TL	31,41	M+S	E	D	71db	2	1.708,84
205/75 R17.5 M729 Z 124M122M TL	25,65	M+S / 3PMSF	E	D	72db	2	1.213,12
205/75 R17.5 M788 CZ 124M122M TL	26,07	M+S	F	C	69db	1	1.213,80
205/75 R17.5 R227 124M122M 12 TL M+S	25,48	M+S	D	C	68db	1	1.212,44
215/75 R17.5 M729 Z 126M124M 12 TL	27,81	M+S / 3PMSF	F	C	74db	2	1.262,08
215/75 R17.5 M788 CZ 126M124M TL	27,20	M+S / 3PMSF	E	C	68db	1	1.260,72
215/75 R17.5 R227 126M124M 12 TL M+S	28,78	M+S	D	C	69db	2	1.264,12
225/75 R17.5 M729 Z 129M127M 12 TL	28,87	M+S / 3PMSF	E	C	74db	2	1.384,48
225/75 R17.5 M788 CZ 129M127M TL	28,53	M+S / 3PMSF	E	C	70db	1	1.383,12
225/75 R17.5 R227 129M127M 12 TL M+S	27,73	M+S	D	C	72db	2	1.381,76
235/75 R17.5 M729 Z 132M130M 14 TL	31,97	M+S / 3PMSF	F	C	74db	2	1.510,28
235/75 R17.5 R227 132M130M 14 TL M+S	31,36	M+S	C	C	71db	2	1.509,60
245/70 R17.5 M729Z 136M134M 16 TL	37,10	M+S / 3PMSF	F	C	73db	1	1.641,52
245/70 R17.5 R227 136M134M 16 TL M+S	34,46	M+S	D	C	70db	1	1.635,40
265/70 R17.5 M729Z 138M136M 14 TL	39,22	M+S / 3PMSF	F	C	73db	2	1.823,08
265/70 R17.5 R227 138M136M 14 TL M+S	37,90	M+S	D	C	70db	1	1.820,36
245/70 R19.5 M729Z 136M134M 14 TL	34,46	M+S / 3PMSF	F	D	73db	2	1.733,32
245/70 R19.5 R227 136M134M 14 TL M+S	35,84	M+S	D	C	72db	2	1.736,04
265/70 R19.5 M729Z 140M138M 14 TL	40,96	M+S / 3PMSF	F	C	71db	1	1.787,04
265/70 R19.5 M788CZ 140M138M TL	40,96	M+S / 3PMSF	E	D	71db	1	1.787,04
265/70 R19.5 R227 140M138M 14 TL M+S	38,82	M+S	D	B	71db	2	1.782,28
285/70 R19.5 M729Z 145M143M 16 TL	44,47	M+S / 3PMSF	E	C	73db	1	2.056,32
285/70 R19.5 M788CZ 146M144M TL	43,04	M+S / 3PMSF	E	C	74db	2	2.053,60
285/70 R19.5 R227 145M143M 16 TL M+S	43,59	M+S	D	B	71db	2	2.054,28
305/70 R19.5 M729Z 148M145M 18 TL	55,50	M+S / 3PMSF	F	C	73db	2	2.674,44
305/70 R19.5 R192FZ 148J151E TL	57,38		D	C	71db	2	2.678,52
305/70 R19.5 R227 148M145M 18 TL M+S	53,81	M+S	D	B	71db	2	2.671,04